

Certificate of Constancy of Performance



Certificate No.: 0757-CPR-692F-9038133-4-1

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

Basis:

EN 1279-5:2018-07

Insulating glass units with requirements for fire resistance



Product description/
specification

IGU with Glassprof EI 30, EI 60

See documentary evidence no.
1713-1/2022-2/K-2, 1713-1/2022-1/K/2

Levels and classes of
performance

EI30 / EI 60

Intended use(s)

Intended for use in buildings and other works
with requirements for fire resistance in accordance with
EN 13501-2:2016

placed on the market
under the name or
trade mark of

Press Glass Sp. z o.o.

ul. Golfowa 19, PL-42-274 Konopiska

and produced in the
manufacturing plant(s)

Press Glass Sp. z o.o.

ul. Cielmicka 44, PL-43-100 Tychy

Notified body No.
EC-Reference-No.

0757

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)



EN 1279-5 : 2018-07

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product**.

This certificate was first issued on 11.04.2024 and will remain valid until 10.04.2027, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift** Rosenheim no. 692F 9038133.


Christian Kehr
Head of notified product certification body
ift Rosenheim
11.04.2024



www.ec.europa.eu

Identity check



www.ift-rosenheim.de/
ift-zertifiziert
ID: B90-53E89

Certificate of Constancy of Performance



Certificate No.: 0757-CPR-692F-9038133-4-1

**Compilation of insulating glass units with fire resistance requirements in
accordance with EN 1279-5:2018-07**

Type	Classification report	classification
IGU with Glassprof EI 30	1713-1/2022-1/K/2 dated 02.02.2023	E 20 / E 30 EW 20 / EW 30 EI 15 / EI 20 / EI 30
IGU with Glassprof EI 60	1713-1/2022-2/K/2 dated 02.02.2023	E 20 / E 30 / E 60 EW 20 / EW 30 / EW 60 EI 15 / EI 20 / EI 30 / EI 45 / EI 60