

Order – EPD sectional doors

Company name: _____
Street: _____
Zip/City: _____
VAT: _____
Contact person: _____
Member code (BVT) _____



Please send this questionnaire and your company logo in good quality to nachhaltigkeit@ift-rosenheim.de.

Question 1:

Product definition / product description

This environmental product declaration is only valid for **sectional doors** in accordance with EN 13241-1, regardless of their size, which are defined as follows:

Curtain:	The curtain of sectional doors is made of interconnected horizontal sections consisting of polyurethane foam-filled panels, or of extruded aluminium profiles with or without thermal break. When the curtain is opened it either moves vertically upwards or upwards and inwards into the room. A sectional door may contain panel sections of different designs. It may also feature an integrated pass door.
sealing:	The curtain contains seals between the panel sections, a top lintel seal, side frame seals as well as a bottom profile seal. All seals are in EPDM quality. A thermal barrier can be provided to separate the door frame from the installation substrate.
Hardware and frames:	As a rule the panel sections are connected by hinges. Side roller guides with adjustable, ball-bearing and low-wear running gear keep the curtain in the track. Track bends guide the curtain into the room. Other types of hardware are possible. An appropriately dimensioned frame system must be selected.
Weight balance:	The weight is balanced by a torsion spring shaft with lateral cable reels and highly flexible steel cables or by a direct drive mechanism.
Safety:	The safety of sectional doors is secured by approved anti-drop devices in accordance with the relevant guidelines/directives. Suitable safety devices and control systems must be used, depending on the mode of operation.
Drive mechanism:	Manual and power-operated drive mechanisms of different designs are used.

This EPD is **not** valid for:

- Lock gates
- Primarily for animals used doors

Order – EPD sectional doors



- horizontally, power operated doors with a width of less than 2.5 m and a surface area of less than 6.25 m², which are designed according to pr EN 12650-1:2001 primarily for use by pedestrians
- folding doors
- wing gates
- sliding doors

I hereby certify that I have read the product definition and the scope for this EPD. Furthermore I certify that my declared product conforms the product description and the scope!


yes

Note:

This EPD is only valid for products which fulfill the described scope. For the creation of EPDs for additional products, please contact ift Rosenheim.

Question 2:

Product manufacture:



I hereby certify that all my manufacturing processes of the product conforms the described production processes.

yes

Note:

This EPD is not valid for different production processes. To create an EPD valid for you, please contact the ift Rosenheim

Question 3:

Production site:

I hereby certify that the manufacturing bases of the product are located in Europe.

yes

Note:

Order – EPD sectional doors



This EPD is only valid for manufacturing bases in Europe.
For further questions please contact the ift Rosenheim.

Question 4:

Quality assurance (optional):

Would you like to provide information about the quality assurance? Is an external monitoring or quality assurance (eg RAL or similar) available?

yes no

Please note if YES: The information has to be confirmed by the proof of valid documents!

If NO, "No information from the manufacturer" appears in the document.

Question 5:

Management systems (optional):

Are management systems confirmed?

- Quality management system according to DIN ISO 9001
- Environmental management system according to DIN ISO 14001
- Occupational safety management system according to OHSAS 18001
- Energy management system according to DIN ISO 50001

yes no

Please note if YES: The information has to be confirmed by the proof of valid documents such as Certificates! Please attach this.

Question 6:

Declarable substances:

Are substances and preparations used, according to the REACH-regulation?

yes no

Please note if YES: Appropriated proofs have to be accompanied.

If NO: In accordance with the REACH candidate list, no substances of very high concern are contained.

Question 7:

Processing recommendations, installation (optional):

Would you make processing recommendations or giving details for the assembly of the product for the declared product?

Order – EPD sectional doors



For example: The planning and execution of the installation takes place according to the RAL-guideline for the "planning and execution of the installation of windows and external doors".

If NO: "No details from the manufacturer" or "The installation guide are to be taken from the manufacturer's instructions" appears in the document.

yes

no

By returning the questionnaire, a contract between the creator and the ift Rosenheim GmbH is established. This contract is based on the [general terms and conditions of use](#) for online-services, the [special conditions of use](#) for the preparation of EPDs, the [general terms and conditions of business](#) of the ift-Rosenheim and the "[Conditions and Guidance for the Use of ift Test Documents](#)" (incl. ift-Logo, -pictogram and EPD-Logo). The price for one EPD is 407 € for BVT-members. (plus VAT).

All "model EPDs" prepared by ift Rosenheim GmbH are published on the website www.ift-service.de. There is no anonymisation. However, it is a prerequisite that the user/future declaration-holder gives his consent to publish the model-EPD prepared for him prior to the preparation and transmission of the EPDs.

This consent is given with the dispatched order of the user. The user confirms that he is authorized to act on behalf of the future declaration-holder. This means that all statements made by the user herein, including this statement, will apply also for and against the future declaration-user.

I hereby confirm the above conditions.

Place, date

signature