

Certificate of Constancy of Performance



Certificate No.: 0757-CPR-695B-6021041-5-4

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

Basis:

EN 14449-2005-05/AC:2005-10

Laminated glass and laminated safety glass with requirements for fire resistance



Product description/ specification	FIRESWISS FOAM 90-39 See documentary evidence no. 11-001027-KB02
Levels and classes of performance	E 20 / E 30 / E 60 / E 90 / EW 20 / EW 30 / EW 60 / EW 90 / EI 15 / EI 20 / EI 30 / EI 45 / EI 60 / EI 90
Intended use(s)	Intended for use in buildings and other works with requirements for fire resistance in accordance with EN 13501-2 : 2007 + A1 : 2009
placed on the market under the name or trade mark of	Glas Trösch AG Zweigniederlassung FIRESWISS Buochs Stanserstr. 97, CH-6374 Buochs
and produced in the manufacturing plant(s)	Glas Trösch AG Zweigniederlassung FIRESWISS Buochs Stanserstr. 97, CH-6374 Buochs
Notified body No. EC-Reference-No.	0757

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)


EN 14449 : 2005


under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product**.

This certificate was first issued on 14.04.2017 and will remain valid until 13.04.2026, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift** Rosenheim no. 695B 6021041.


Christian Kehrer
Head of notified product certification body
ift Rosenheim
14.04.2023


ift Rosenheim
Notifizierte Prüf-,
Überwachungs- und
Zertifizierungsstelle
PÜZ
EG-Referenz-Nr. 0757



www.ec.europa.eu

Identity check



www.ift-rosenheim.de/
ift-zertifiziert
ID: 2EE-7AD6C