

# Certificate of Constancy of Performance



Certificate No.: 0757-CPR-229EG-7051574-23-4

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

## Door hinges

Product description/  
specification

**E3DN**

According to configuration in **annex 1**

Levels and classes of  
performance

According to configuration in **annex 1**

Intended use(s)

Intended for use on doors in escape routes without requirements for fire resistance and smoke control

placed on the market  
under the name or trade  
mark of

**SFS Group Italy S.r.l. unipersonale**

Via Castelfranco Veneto, 71, IT-33170 Pordenone

and produced in the  
manufacturing plant(s)

**SFS Group Italy S.r.l. unipersonale**

Via Castelfranco Veneto, 71, IT-33170 Pordenone

Notified body No.  
EC-Reference-No.

**0757**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

**EN 1935 : 2002**


under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product**.

This certificate was first issued on 10.03.2021 and will remain valid until 09.03.2027, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift** Rosenheim no. 229EG 7051574.


*Christian Kehrer*

Christian Kehrer  
Head of notified product certification body  
**ift** Rosenheim  
10.03.2024



Basis:

EN 1935-2002-02/AC:2003-12



[www.ec.europa.eu](http://www.ec.europa.eu)

Identity check



[www.ift-rosenheim.de/](http://www.ift-rosenheim.de/)  
ift-zertifiziert  
ID: B44-2A3C7

# Certificate of constancy of performance

Annex 1  
Certificate holder: SFS Group Italy S.r.l. unipersonale  
Date of issue: 10.03.2024



**Certificate No.: 0757-CPR-229EG-7051574-23-4**

## Compilation of hinges

### No. 1:

Product designation: **E3DN 000**  
Hinge type: single-axis three-part door hinge  
Material: steel and zamak  
Fastening: screw-fitted with 3 screws in frame element  
screw-fitted with 4 screws in leaf element  
Test report: 20-004336-PR04 of 07.12.2021  
20-004336-PR05 of 17.02.2021

Classification:	3	7	4	0	1	4	0	11
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes without requirements for fire resistance and smoke control

### No. 2:

Product designation: **E3DN 001**  
Hinge type: single-axis three-part door hinge  
Material: steel and zamak  
Fastening: screw-fitted with 3 screws in frame element  
screw-fitted with 4 screws in leaf element  
Test report: 20-004336-PR04 of 07.12.2021  
20-004336-PR05 of 17.02.2021

Classification:	3	7	4	0	1	4	0	11
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes without requirements for fire resistance and smoke control

# Certificate of constancy of performance

Annex 1  
Certificate holder: SFS Group Italy S.r.l. unipersonale  
Date of issue: 10.03.2024



**Certificate No.: 0757-CPR-229EG-7051574-23-4**

## **No. 3:**

Product designation: **E3DN 002**  
Hinge type: single-axis three-part door hinge  
Material: steel and zamak  
Fastening: screw-fitted with 3 screws in frame element  
screw-fitted with 4 screws in leaf element  
Test report: 20-004336-PR04 of 07.12.2021  
20-004336-PR05 of 17.02.2021

Classification:	3	7	4	0	1	4	0	11
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes without requirements for fire resistance and smoke control