

Certificate of Constancy of Performance



Certificate No.: 0757-CPR-692F-8010703-1-1

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

Basis:

EN 1279-5:2018-07

Insulating glass units with requirements for fire resistance



Product description/ specification

**Pyrobelite, Pyrobelite DGU, Pyrobel 16,
Pyrobel 16 DGU, Pyrobel 21, Pyrobel 25,
Pyrobel 25 DGU**

See documentary evidence no. 22-002376-PR01,
22-002377-PR01, 22-002378-PR01

Levels and classes of performance

EW 30, EI 30, EI 60

Intended use(s)

Intended for use in buildings and other works
with requirements for fire resistance in accordance with
EN 13501-2:2016

placed on the market under the name or trade mark of

Patsis Glass S.A.

Kleisthenous 400, GR-15344 Gerakas Athens

and produced in the manufacturing plant(s)

Patsis Glass S.A.

Kleisthenous 400, GR-15344 Gerakas Athens

Notified body No. EC-Reference-No.

0757


This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 1279-5 : 2018-07

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product**.

This certificate was first issued on 15.06.2022 and will remain valid until 14.06.2025, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift** Rosenheim no. 692F 8010703.



www.ec.europa.eu

Identity check



www.ift-rosenheim.de/
ift-zertifiziert
ID: B29-1ED13

Christian Kehrer
Christian Kehrer
Head of notified product certification body
ift Rosenheim
15.06.2022

