Certificate of Constancy of Performance

Certificate No.: 0757-CPR-231-9052693-1-1

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

Basis:

EN 1154







Controlled door closing devices

Product description/ specification	**Type D503, D803, D903, D1024, D2000B, D2000BH, D2000H, D2024, D3000, D3000H** According to configuration in **annex 1**
Levels and classes of performance	According to configuration in **annex 1**
Intended use(s)	Intended for use on hinged doors with requirements for fire resistance and smoke control
placed on the market under the name or trade mark of	**Casa Milano Building Materials Trading L.L.C.** SRO4, MZO8, Al Waha Complex Sheikh Zayed Road, AE- Dubai
and produced in the manufacturing plant(s)	**9007068**
Notified body No.	**0757**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 1154 : 1996-11+A1:2002-12+AC:2006-06


under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product.**

This certificate was first issued on 11.10.2026 and will remain valid until 10.10.2029, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift** Rosenheim no. 231 9052693.

ift Rosenheim
ift ROSENHEIM
ift Rosenheim GmbH
Theodor-Gietl-Str. 7-9
83026 Rosenheim
Germany
Notified Body 0757

Dr. Gerhard Wackerbauer
Deputy head of the notified product certification body
Certification & Surveillance Body
ift Rosenheim
11.10.2026



www.ec.europa.eu

Identity check

www.ift-rosenheim.de/ift-zertifiziert
ID: AC3-57143

Ve-Zer-5113-en / 2025-02

Compilation of door closing devices:

Classification key

1	2	3	4	5	6
Category of use	Mechanical durability	Closing device size	Suitability for use one fire / smoke doors	Safety	Corrosion resistance

No.	Product	Reference-test report	Item	1	2	3	4	5	6
1	Type D503	12-001020-PR05 27.06.2013, 13-003990-PR03 11.02.2015	upper door closer with stay arm	4	8	3	1	1	3
2	Type D803	15-000514-PR03 23.06.2025, 13-003990-PR04 11.02.2015	upper door closer with stay arm	4	8	3	1	1	3
3	Type D903	12-001020-PR06 19.06.2013, 13-003990-PR02 11.02.2015	upper door closer with stay arm	4	8	3	1	1	3
4	Type D1024	WIL 520219 25.08.2022, 503361R 23.11.2021	overhead door closer	3	8	2 to 4	1	1	3
5	Type D2000B	557255 08.04.2026 502521 issue 4, 31.03.2026	upper door closer with stay arm	4* 3**	8	2 to 5	1	1	3
6	Type D2000BH	WIL 556944 30.04.2026, 502521 issue 4, 31.03.2026	overhead slide arm door closer	4	8	1 to 3	1	1	3
7	Type D2000H	14-001860-PR04 12.06.2015, 13-003990-PR01 11.02.2015, 25-003784-PR02 16.12.2025	upper door closer with slide rail	4	8	3	1	1	3
8	Type D2024	17-001029-PR01 13.03.2017, 24-002554-PR02 13.11.2024	upper door closer with stay arm	4	8	4 2	1	1	3
9	Type D3000	18-004027-PR01 18.06.2021, 17-003122-PR01 29.11.2018	upper door closer with stay arm	4	8	3 6	1	1	3
10	Type D3000H	22-002660-PR01 03.07.2023, 17-003122-PR01 29.11.2018	overhead door closer	4	8	2 4	1	1	3

* Standard door mount pull side
** Transom mount push side & parallel arm