Certificate of Constancy of Performance

Certificate No.: 0757-CPR-695B-6021041-1-6

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

Basis:

EN 14449-2005-05/AC:2005-10

Laminated glass and laminated safety glass with requirements for fire resistance

Product description/ specification	**FIRESWISS FOAM 30-15, 30-16 O, 30-19, 30-19/1, 30-19 P4A, 30-19 P5A, 30-20 O, 30-20 O P4A, 30-20 O P5A** See documentary evidence no. 16-004287-PR01
Levels and classes of performance	E 30 / EW 30 / EI 30
Intended use(s)	Intended for use in buildings and other works with requirements for fire resistance in accordance with EN 13501-2:2016
placed on the market under the name or trade mark of	**Glas Trösch AG Zweigniederlassung FIRESWISS Buochs** Stanserstr. 97, CH-6374 Buochs
and produced in the manufacturing plant(s)	**Glas Trösch AG Zweigniederlassung FIRESWISS Buochs** Stanserstr. 97, CH-6374 Buochs **Glas Trösch GmbH Isolierglas** Reuthebogen 6, D-86720 Nördlingen
Notified body No.	**0757**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 14449 : 2005

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product.**

This certificate was first issued on 14.04.2017 and will remain valid until 13.04.2029, as long as neither the harmonized standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift** Rosenheim no. 695B 6021041.

Dr. Gerhard Wackerbauer
Deputy head of the notified product certification body
Certification & Surveillance Body
ift Rosenheim
14.04.2026

ift Rosenheim GmbH Theodor-Gietl-Str. 7-9 83026 Rosenheim Germany Notified Body 0757

www.ec.europa.eu

Identity check

www.ift-rosenheim.de/ift-zertifiziert
ID: 955-D04C3

Ve-Zer-5146-en / 2024-12