

Certificate of Constancy of Performance



Certificate No.: 0757-CPR-231-9027882-2-1

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

Basis:

EN 1154

Controlled door closing devices

Product description/
specification

RetroV

See evidence no. 4787875285-1 (test report and assessment report dated 23.10.2017)

Levels and classes of
performance

3* **8** **4**
3 **1** **1** **3**

*For Figure 61 and Figure 66 fixing positions. Figure 1, projecting arm achieved grade 4

For use with fire resisting doorsets classified to EN 13501-2: 2016 for wood doors up to EI 120 and steel doors up to EI 240 in Figure 6, Figure 1 or Figure 61 configurations (UL report 4787875285-1)

Intended use(s)

Intended for use on hinged doors with requirements for fire resistance and smoke control

placed on the market
under the name or trade
mark of

ASSA ABLOY Ltd.

School Street, West Midlands, GB-WV13 3PW Willenhall

and produced in the
manufacturing plant(s)

9034524

Notified body No.
EC-Reference-No.

0757

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 1154:1996-11+A1:2002-12+AC:2006-06

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product.**

This certificate was first issued on 23.10.2017 (Notified Body no. 0843) and will remain valid until 31.12.2023, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.


The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift** Rosenheim no. 231 9027882.



Prof. Jörn P. Lass
Director

ift Rosenheim
01.01.2021

Christian Kehrer
Head of notified product certification body



www.ec.europa.eu



www.ift-rosenheim.de

Ve-Zer-5113-en / 01.12.2019