## Certificate of Constancy of Performance

### Certificate n°: 0757-CPR-277-9030564-3-1

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

# Pedestrian doorsets with fire resistance and smoke control characteristics

Trade name	Schüco ADS 80 FR 60	
Product description/ specification	Pedestrian doorset according to EN 14351-1:2006+A2:2016 with fire resistance and/or smoke control characteristics according to EN 16034:2014	
	Construction and classification: see EXAP report n° 18-002403-PR01 and classification report n° 18-002403-PR02	
Levels and classes of performance	According to configuration in <b>annex 1</b>	
Intended use(s)	<ul> <li>Installation in residential and non-residential construction</li> <li>In the case of room partitioning into fire and/or smoke protection sections and/or escape routes</li> </ul>	
placed on the market under the name or trade mark of	Pimeks Group Head Office, Incek Bulvari (1821.Cd) No:98, TR-06805 INCEK ANKARA	
and produced in the manufacturing plant(s)	Pimeks Group Cubuk Yolu 8. Km Bügdüz Mevkii, TR-06760 ESEBOGA Ankara	

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

#### EN 14351-1:2006+A2:2016 and EN 16034:2014

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product.** 

This certificate was first issued on 03.01.2023 and will remain valid until 02.01.2026, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift** Rosenheim no. 277 9030564.

Christian Kehrer

Notified body No.

EC-Reference-No.

Head of notified product certification body ift Rosenheim 13.04.2023






ROSENHEIM

EN 16034 EN 14351-1









www.ec.europa.eu

**Identity check** 



www.ift-rosenheim.de/ ift-zertifiziert ID: 794-63810

#### ift Rosenheim GmbH

Theodor-Gietl-Str. 7-9 D-83026 Rosenheim Contact Phone: +49 8031 261-0 Fax: +49 8031 261-290 www.ift-rosenheim.de

0757

Testing and Calibration – EN ISO/IEC 17025 Inspection – EN ISO/IEC 17020 Product Certification – EN ISO/IEC 17065 Certification of Management Systems – EN ISO/IEC 17021





## Certificate of constancy of performance

Annex 1 Page 1 of 1 Certificate holder: Pimeks Group Date of issue:

13.04.2023

## Certificate n°: 0757-CPR-277-9030564-3-1



#### **Product description:**

Essential characteristics according to EN 16034	Performance
<b>Fire resistance</b> (in the case of room partitioning into fire and/or smoke protection sections)	NPD / E 15 / E 20 / E 30 / E 45 / E 60 NPD / EW 15 / EW 20 / EW 30 / EW 45 / EW 60 NPD / El <sub>2</sub> 15 / El <sub>2</sub> 20 / El <sub>2</sub> 30 / El <sub>2</sub> 45 / El <sub>2</sub> 60 NPD / El <sub>1</sub> 15 / El <sub>1</sub> 20 / El <sub>1</sub> 30
Smoke control (only for applications where smoke spread limitation is required)	NPD / Sa / S200
Ability to release	NPD / released
<b>Self-closing action</b> (only for self-closing fire and/or smoke protection doors and/or windows)	NPD / C
Durability of ability to release	NPD / maintain release
<b>Durability of self-closing</b> (only for self-closing fire and/or smoke protection doors and/or windows) – Compared with loss of quality (resistance to	NPD/0/1/2/3/4/5
repeated opening and closing) – Compared with ageing (corrosion)	NPD / Achieved