

Certificate of Constancy of Performance



Certificate n°: 0757-CPR-277-9045513-2-1

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

Basis:

EN 16034
EN 14351-1

windows with fire resistance

Trade name

S77 FR Alumil / M50-S77 FR Alumil EI30

Product description/
specification

windows according to EN 14351-1:2006+A2:2016 with fire resistance and/or smoke control characteristics according to EN 16034:2014
Construction and classification: see classification report n° and Expert Statement
FIRES-CR-248-22-AUPE dated 16.11.2022
FIRES-CR-249-22-AUPE dated 16.11.2022
FIRES-JR-165-22-NURE dated 21.11.2022

Levels and classes of performance

According to configuration in **annex 1**

Intended use(s)

- Installation in residential and non-residential construction
- In the case of room partitioning into fire and/or smoke protection sections and/or escape routes

placed on the market under the name or trade mark of

KYRIAKOS KARMENOS ALUMINIUM LTD

16 STYLIANOU LENA, CY-1028 NICOSIA

and produced in the manufacturing plant(s)

KYRIAKOS KARMENOS ALUMINIUM LTD

16 STYLIANOU LENA, CY-1028 NICOSIA

Notified body No.

0757

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 14351-1:2006+A2:2016 and **EN 16034:2014**


under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product**.

This certificate was first issued on 14.04.2025 and will remain valid until 13.04.2028, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift** Rosenheim no. 277 9045513.



Gerhard Wackerbauer
Dr. Gerhard Wackerbauer
Deputy head of the notified product certification body
Certification & Surveillance Body
ift Rosenheim
14.04.2025



www.ec.europa.eu

Identity check



www.ift-rosenheim.de/
ift-zertifiziert
ID: 199-EBB91

Certificate of constancy of performance

Annex 1

Page 1 of 1

Certificate holder: KYRIAKOS KARMENOS ALUMINIUM LTD

Date of issue: 14.04.2025



Certificate n°: 0757-CPR-277-9045513-2-1

Product description:

Essential characteristics according to EN 16034	Performance
Fire resistance (in the case of room partitioning into fire and/or smoke protection sections)	Classification for fire load on the opening surface/fire load from inside E 15 / E 20 / E 30, E45 EW 20 / EW 30 EI ₂ 15 / EI ₂ 20 / EI ₂ 30, EI ₂ 45 EI ₁ 15 / EI ₁ 20 / EI ₁ 30
Smoke control (only for applications where smoke spread limitation is required)	NPD
Ability to release	NPD
Self-closing action (only for self-closing fire and/or smoke protection doors and/or windows)	NPD
Durability of ability to release¹⁾	NPD
Durability of self-closing (only for self-closing fire and/or smoke protection doors and/or windows) – Compared with loss of quality (resistance to repeated opening and closing) – Compared with ageing (corrosion) ¹⁾	NPD NPD

¹⁾ in compliance with the specifications according to EN 16034