

Certificate of Constancy of Performance



Certificate No.: 0757-CPR-231-9048619-1-1

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

Basis:

EN 1154

Controlled door closing devices

Product description/
specification

**Type J403, Type J803, Type J1000G,
Type J1024, Type J703, Type J2000,
Type J2000G**

According to configuration in **annex 1**

Levels and classes of
performance

According to configuration in **annex 1**

Intended use(s)

Intended for use on hinged doors with requirements for fire resistance and smoke control

placed on the market
under the name or trade
mark of

Jinson Hardware CO., Ltd.

No. 129, Ln. 275, Zhongzheng E Rd., Dacun Township,
TW-51545 CHANGHUA COUNT

and produced in the
manufacturing plant(s)

9007068

Notified body No.

0757

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 1154 : 1996-11+A1:2002-12+AC:2006-06



under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product**.

This certificate was first issued on 10.07.2025 and will remain valid until 09.07.2028, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift** Rosenheim no. 231 9048619.

Gerhard Wackerbauer

Dr. Gerhard Wackerbauer
Deputy head of the notified product certification body
Certification & Surveillance Body
ift Rosenheim
10.07.2025



www.ec.europa.eu

Identity check



www.ift-rosenheim.de/
ift-zertifiziert

ID: 192-BB528

Certificate of constancy of performance

Annex 1 Page 1 of 1
 Certificate holder: Jinson Hardware CO., Ltd.
 Date of issue: 10.07.2025



Certificate No.: 0757-CPR-231-9048619-1-1

Compilation of door closing devices:

Classification key

1	2	3	4	5	6
Category of use	Mechanical durability	Closing device size	Suitability for use one fire / smoke doors	Safety	Corrosion resistance

no.	product	Reference-test report	Item	1	2	3	4	5	6
1	J403	12-001020-PR05 / 27.6.2013 13-003990-PR03 / 11.2.2015	upper door closer with stay arm	4	8	3	1	1	3
2	J803	12-001020-PR06 / 19.6.2013 13-003990-PR02 / 11.2.2015	upper door closer with stay arm	4	8	3	1	1	3
3	J1000G	14-001860-PR04 / 12.6.2015 13-003990-PR01 / 11.2.2015	upper door closer with slide rail	4	8	3	1	1	3
4	J1024	24-002554-PR01 / 8.10.2024 13-003990-PR01 / 11.2.2015	upper door closer with stay arm	4	8	4 2	1	1	3
5	J703	15-000514-PR03 / 5.12.2018 13-003990-PR04 / 11.2.2015	upper door closer with stay arm	4	8	3	1	1	3
6	J2000	18-004027-PR01 / 18.6.2021 17-003122-PR01 / 29.11.2018	upper door closer with stay arm	4	8	3 6	1	1	3
7	J2000G	22-002660-PR01 / 3.7.2023 17-003122-PR01 / 29.11.2018	overhead door closer	4	8	2 4	1	1	3