Certificate of Constancy of Performance

Certificate No.: 0757-CPR-229EAD-8017713-1-6

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

Basis:

EOTA-EAD 020001-01-0405
2017-03







	Door hinges
Product description/ specification	**Multi-axis, concealed door hinges "AN 160 3D, AN 172 3D, AN 180 3D and AN 192 3D"**
Levels and classes of performance	According to configuration in **annex 1**
Intended use(s)	Intended for use on doors with requirements for fire resistance and smoke control
placed on the market under the name or trade mark of	**ANSELMI & C. S.r.l.** Via Fusana 6, IT-31056 Roncade TV
and produced in the manufacturing plant(s)	**ANSELMI & C. S.r.l.** Via Fusana 6, IT-31056 Roncade TV
Notified body No.	**0757**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in the

ETA-14/0462 dated 11.08.2026

and

EAD 020001-01-0405 dated March 2017


under system 1 for the performance set out in the ETA are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product.**

This certificate was first issued on 12.09.2017 and will remain valid until 10.01.2027, as long as neither the ETA, the EAD, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift** Rosenheim no. 229EAD 8017713.

Dr. Gerhard Wackerbauer
Deputy head of the notified product certification body
Certification & Surveillance Body
ift Rosenheim
02.09.2026

ift Rosenheim GmbH
Theodor-Gietl-Str. 7-9
83026 Rosenheim
Germany
Notified Body 0757



www.ec.europa.eu

Identity check

www.ift-rosenheim.de/
ift-zertifiziert
ID: 89A-8F82D

Ve-Zer-6225-de / 2025-04

Certificate of constancy of performance

Certificate holder: **ANSELMI & C. S.r.l.**
Date of issue: **02.09.2026**

Certificate No.: 0757-CPR-229EAD-8017713-1-6

Compilation of locks:

Classification

1	2	3	4	5	6	7	8
Category of use	Durability	Test door mass	Fire resistance	Safety	Corrosion resistance	Security	Hinge grade

No.	Product	Hinge type	Material	Reference-test report dated	1	2	3	4	5	6	7	8
1*	**AN 160 3D**	concealed mortise hinges	steel, zinc diecast, C4C	21-002858-PR02 dated 07.04.2022	2	7	3	1	1	4	0	10
2*	**AN 172 3D**	concealed mortise hinges	steel, zinc diecast, plastic	21-001127-PR01 dated 21.04.2021	2	7	3	1	1	4	0	10
3*	**AN 180 3D**	concealed mortise hinges	steel, zinc diecast, plastic	15-000729-PR01 dated 04.08.2016	3	7	4	1	1	4	0	11
4*	**AN 192 3D**	concealed mortise hinges	aluminium, zinc diecast	25-002879-PR01 dated 17.12.2025	3	7	4	1	1	4	0	11

* Intended for use on doors with requirements for fire resistance and smoke control
** Intended for use on doors without requirements for fire resistance and smoke control