

Certificate of Constancy of Performance



Certificate No.: 0757-CPR-230EG-7046426-1-8

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

Basis:

EN 12209-2003:+AC:2005-12

Heavy duty mortise locks

Product description/ specification	According to configuration in annex 1
Levels and classes of performance	According to configuration in annex 1
Intended use(s)	Intended for use on doors with requirements for fire resistance and smoke control
placed on the market under the name or trade mark of	Häfele SE & Co KG Adolf-Häfele-Str. 1, DE-72202 Nagold
and produced in the manufacturing plant(s)	9015866
Notified body No.	0757



This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 12209:2003+AC:2005



under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product**.

This certificate was first issued on 02.03.2021 and will remain valid until 01.03.2028, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift** Rosenheim no. 230EG 7046426.

Pascal Geiger

Pascal Geiger
Deputy head of the notified product certification body
Certification & Surveillance Body
ift Rosenheim
02.03.2025



www.ec.europa.eu

Identity check



www.ift-rosenheim.de/
ift-zertifiziert

ID: 2EF-081A9

Certificate of constancy of performance

Annex 1 Seite 2 von 6
Certificate holder: Häfele SE & Co KG
Date of issue: 02.03.2025



Certificate No.: 0757-CPR-230EG-7046426-1-8

Compilation of locks:

Classification	3	X	8	1	0	G	3	B	C	2	0
-----------------------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------

Intended use: Intended for use on doors with requirements for fire resistance and smoke control

Test report: no. 21-004185-PR01 dated 25.11.2022
no. 21-004185-PR04 dated 29.11.2022

Closures:

No.	Designation	Backset [mm]	Distance [mm]	Overlap design [mm]
1	911.02.143	55	72	20
2	911.02.145	55	72	24
3	911.02.151	55	72	20
4	911.02.153	55	72	24
5	911.25.200	55	72	24
6	911.25.420	55	72	20
7	911.25.421	55	72	20
8	911.25.422	55	72	24
9	911.25.444	55	72	20
10	911.25.446	55	72	24
11	911.25.452	55	72	20
12	911.25.454	55	72	24
13	911.02.464	60	72	24
14	911.02.468	60	72	24
15	911.02.480	65	72	24
16	911.02.484	65	72	24

Certificate of constancy of performance

Annex 1 Seite 3 von 6
Certificate holder: Häfele SE & Co KG
Date of issue: 02.03.2025



Certificate No.: 0757-CPR-230EG-7046426-1-8

Classification	3	X	8	1	0	G	3	B	C	2	0
-----------------------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------

Intended use: Intended for use on doors with requirements for fire resistance and smoke control

Test report: no. 21-004185-PR02 dated 25.11.2022
no. 21-004185-PR04 dated 29.11.2022

Closures:

No.	Designation	Backset [mm]	Distance [mm]	Overlap design [mm]
1	911.02.165	45	85	24
2	911.02.161	60	85	24

Certificate of constancy of performance

Annex 1 Seite 4 von 6
Certificate holder: Häfele SE & Co KG
Date of issue: 02.03.2025



Certificate No.: 0757-CPR-230EG-7046426-1-8

Classification	3	X	8	1	0	G	0	B	G	2	0
-----------------------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------

Intended use: Intended for use on doors with requirements for fire resistance and smoke control

Test report: no. 21-004185-PR03 dated 25.11.2022
no. 21-004185-PR09 dated 29.11.2022

Closures:

No.	Designation	Backset [mm]	Distance [mm]	Overlap design [mm]
1	911.02.147	55	78	20
2	911.02.149	55	78	24
3	911.02.155	55	78	20
4	911.02.157	55	78	24
5	911.25.204	55	78	24
6	911.25.430	55	78	20
7	911.25.431	55	78	20
8	911.25.432	55	78	24
9	911.25.448	55	78	20
10	911.25.450	55	78	24
11	911.25.456	55	78	20
12	911.25.458	55	78	24

Certificate of constancy of performance

Annex 1 Seite 5 von 6
Certificate holder: Häfele SE & Co KG
Date of issue: 02.03.2025



Certificate No.: 0757-CPR-230EG-7046426-1-8

Classification*:	3	X	8	1	0	G	3	B	C	0	0
-------------------------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------

Classification**:	3	X	8	1	0	G	0	B	0	0	0
--------------------------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------

Intended use: Intended for use on doors with requirements for fire resistance and smoke control

Test report: no. 21-004185-PR05 dated 31.08.2022
no. 21-004185-PR06 dated 31.08.2022
no. 23-001991-PR01 dated 17.10.2024
no. 324016 dated 28.11.2012

Closures:

No.	Designation	Backset [mm]	Distance [mm]	Overlap design [mm]
1	911.22.490*	55	-	24
2	911.22.550*	55	72	24
3.	911.22.901**	55	-	24
4.	911.22.920**	55	-	24
5.	911.22.921**	55	-	24
6.	911.22.929**	55	-	24

Certificate of constancy of performance

Annex 1 Seite 6 von 6
Certificate holder: Häfele SE & Co KG
Date of issue: 02.03.2025



Certificate No.: 0757-CPR-230EG-7046426-1-8

Classification:	3	X	8	1	0	G	0	B	0	0	0
------------------------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------

Intended use: Intended for use on doors with requirements for fire resistance and smoke control

Test report: no. 21-004185-PR07 dated 23.01.2024
no. 21-004185-PR08 dated 23.01.2024
no. 23-001991-PR01 dated 17.10.2024
no. 324016 dated 28.11.2012

Closures:

No.	Designation	Backset [mm]	Distance [mm]	Overlap design [mm]
1	911.23.370	55	-	24
2	911.23.465	55	71,5	24
3.	911.22.922	55	-	24
4.	911.22.923	55	-	24
5.	911.22.924	55	-	24
6.	911.22.931	55	-	24
7.	911.23.394	55	-	24