

# Certificate of Constancy of Performance



Certificate n°: 0757-CPR-277-9030564-2-1

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

Basis:

EN 16034  
EN 14351-1

## Windows with fire resistance and smoke control characteristics

Trade name

**Schüco AWS 60 FR 30 / Schüco AWS 60.HI FR 30 /  
Schüco AWS 70 FR 30 / Schüco AWS 70.HI FR 30 /  
Schüco AWS 75 FR 30 / Schüco AWS 90 FR 30**

Product description/  
specification

Windows according to EN 14351-1:2006+A2:2016 with fire resistance and smoke control characteristics according to EN 16034:2014

Levels and classes of performance

According to configuration in **annex 1**

Intended use(s)

- Installation in residential and non-residential construction
- In the case of room partitioning into fire and/or smoke protection sections and/or escape routes

placed on the market under the name or trade mark of

**Pimeks Group**

Head Office, Incek Bulvari (1821.Cd) No:98, TR-06805 INCEK ANKARA

and produced in the manufacturing plant(s)

**Pimeks Group**

Cubuk Yolu 8. Km Büğdüz Mevkii, TR-06760 ESEBOGA Ankara

Notified body No.  
EC-Reference-No.

**0757**


This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

**EN 14351-1:2006+A2:2016 and EN 16034:2014**

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product**.

This certificate was first issued on 03.01.2023 and will remain valid until 02.01.2026, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift Rosenheim** no. 277 9030564.



[www.ec.europa.eu](http://www.ec.europa.eu)

Identity check



[www.ift-rosenheim.de/](http://www.ift-rosenheim.de/)  
ift-zertifiziert  
ID: EA0-DBF21

Ve-Zer-6274-de / 01.03.2023

*Christian Kehrer*

Christian Kehrer  
Head of notified product certification body  
**ift Rosenheim**  
13.04.2023



ift Rosenheim GmbH  
Theodor-Gietl-Str. 7-9  
D-83026 Rosenheim

Contact  
Phone: +49 8031 261-0  
Fax: +49 8031 261-290  
[www.ift-rosenheim.de](http://www.ift-rosenheim.de)

Testing and Calibration – EN ISO/IEC 17025  
Inspection – EN ISO/IEC 17020  
Product Certification – EN ISO/IEC 17065  
Certification of Management Systems – EN ISO/IEC 17021

Notified Body 0757  
PÜZ-Stelle: BAY 18

**DAKKS**  
Deutsche  
Akkreditierungsstelle  
D-ZE-11349-01-00

# Certificate of constancy of performance

Annex 1 Page 1 of 1  
Certificate holder: Pimeks Group  
Date of issue: 13.04.2023



Certificate n°: 0757-CPR-277-9030564-2-1

## Product description:

Essential characteristics	Performance	harmonized technical specification
<b>Fire resistance</b> (in the case of room partitioning into fire and/or smoke protection sections)	NPD / E 15 / E 20 / E 30 NPD / EW 15 / EW 20 / EW 30 NPD / EI <sub>1</sub> 15 / EI <sub>1</sub> 20 / EI <sub>1</sub> 30 NPD / EI <sub>2</sub> 15 / EI <sub>2</sub> 20 / EI <sub>2</sub> 30	EN 16034:2014
<b>Smoke control</b> (only for applications where smoke spread limitation is required)	NPD / S <sub>a</sub> / S <sub>200</sub>	
<b>Ability to release</b>	NPD	
<b>Self-closing action</b> (only for self-closing fire and/or smoke protection doors and/or windows)	NPD / C	
<b>Durability of ability to release</b>	NPD	
<b>Durability of self-closing</b> (only for self-closing fire and/or smoke protection doors and/or windows) – Compared with loss of quality (resistance to repeated opening and closing) – Compared with ageing (corrosion)	NPD / 0 / 1 / 2 NPD / Achieved	
<b>Ability to release</b>	NPD	EN 14351-1: 2006+A2:2016