Certificate of Constancy of Performance

Certificate No.: 0757-CPR-692F-9039032-2-1

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

Basis:

EN 1279-5:2018-07

Insulating glass units with requirements for fire resistance

Product description/ specification	**Contraflam according to annex 1** See evidence in accordance with Annex 1
Levels and classes of performance	**Requirements fulfilled**
Intended use(s)	Intended for use in buildings and other works with requirements for fire resistance in accordance with EN 13501-2:2016
placed on the market under the name or trade mark of	**HELUZ IZOS s.r.o** U Nove Hospody 1151/9 , CZ-30100 Plzen - Skvrnany
and produced in the manufacturing plant(s)	**HELUZ IZOS s.r.o** Velichov 42, CZ-438 01 Zatec **HELUZ IZOS s.r.o** Sudomerice c. 552, CZ-696 66 Sudomerice nad Moravou
Notified body No.	**0757**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 1279-5 : 2018-07

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product.**

This certificate was first issued on 26.03.2025 and will remain valid until 11.09.2027, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift** Rosenheim no. 692F 9039032.

ift Rosenheim GmbH Theodor-Gietl-Str. 7-9 83026 Rosenheim Germany Notified Body 0757

Dr. Gerhard Wackerbauer
Deputy head of the notified product certification body
Certification & Surveillance Body
ift Rosenheim
26.03.2025

www.ec.europa.eu

Identity check

www.ift-rosenheim.de/ift-zertifiziert
ID: 49A-014B5

Ve-Zer-5135-en / 2024-12

Certificate of Constancy of Performance

Certificate No.: 0757-CPR-692F-9039032-2-1

Annex 1		
Type	**Classification report**	**Classification**
Contraflam Lite 30 IGU	2006_CVB_R0468	EW30
Contraflam Lite 30/15 IGU	TÜV_89216869-05	E 30 / EW 30 / EI 15
Contraflam Lite 60 IGU	2006_CVB_R0471	EW 120
Contraflam Lite 90 IGU	2008_Efectis_R0057rev1	EW 90
Contraflam Lite 120 IGU	CR_2008_Efectis_R0058rev1	EW 120
Contraflam 30 IGU	TNO_2006_CVB_R0472	EI 30 / EW 60
Contraflam 30-2 IGU	2011-Efectis-R0524	EI 30 / EW 60
Contraflam 45 IGU	TNO_2006_CVB_R0474	EI 45 / EW 60
Contraflam 60-3 IGU	2011-Efectis-R0517	EI 60
Contraflam 90-4 IGU	2010-Efectis-R0855	EI 90
Contraflam 120-5 IGU	TÜV_89223838-06	E 120 / EW 120 / EI 120