# **Certificate of Constancy** of Performance

## Certificate n°: 0757-CPR-277-9030557-5-1

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

#### Windows with fire resistance characteristics

Trade name

Product description/ specification

Levels and classes of performance

Intended use(s)

placed on the market under the name or trade mark of

and produced in the manufacturing plant(s)

Notified body No. EC-Reference-No.

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

#### EN 14351-1:2006+A2:2016 and EN 16034:2014

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on 12.02.2024 and will remain valid until 11.02.2027, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the ift Rosenheim no. 277 9030557. . st Rosens

Christian Kehrer Head of notified product ce ift Rosenheim 12.02.2024	Votice
12.02.2024	Cified Body 0757

Contact Phone: +49 8031 261-0 Fax: +49 8031 261-290

www.ift-rosenheim.de

Testing and Calibration – EN ISO/IEC 17025 Inspection – EN ISO/IEC 17020 Product Certification – EN ISO/IEC 17065 Certification of Management Systems – EN ISO/IEC 17021

Notified Body 0757 PÜZ-Stelle: BAY 18 Basis:


ROSENHEIM

EN 16034 EN 14351-1









www.ec.europa.eu

**Identity check** 



www.ift-rosenheim.de/ ift-zertifiziert ID: 523-081A5

#### DAkkS Akkreditierungsste D-ZE-11349-01-00

/e-Zer-6274-de / 01.06.2023



ift Rosenheim GmbH

Theodor-Gietl-Str. 7-9 D-83026 Rosenheim

Rev.1 dated 25.01.2021 and 320021001-1 dated 28.05.2020 According to configuration in annex 1

Window according to EN 14351-1:2006+A2:2016 with fire resistance

Construction and classification: see EXAP report n° 320021001-A,

- Installation in residential and non-residential construction - In the case of room partitioning into fire and/or smoke protection

sections and/or escape routes

Ligo grupa d.o.o. Josipa Bukovcana 2, HR-48000 Koprivnica

Schüco AWS 75 El60

according to EN 16034:2014

Ligo grupa d.o.o. Josipa Bukovcana 2, HR-48000 Koprivnica

0757

# Certificate of constancy of performance

Annex 1Page 1 or 1Certificate holder:Ligo grupa d.o.o.Date of issue:12.02.2024



## Certificate n°: 0757-CPR-277-9030557-5-1

#### **Product description:**

Essential characteristics according to EN 16034	Performance
Fire resistance (in the case of room partitioning into fire and/or smoke protection sections)	NPD / E 15 / E 20 / E 30 / E 45 / E 60 NPD / EW 15 / EW 20 / EW 30 / EW 45 / EW 60 NPD / El <sub>2</sub> 15 / El <sub>2</sub> 20 / El <sub>2</sub> 30 / El <sub>2</sub> 45 / El <sub>2</sub> 60
Smoke control (only for applications where smoke spread limitation is required)	NPD
Ability to release	NPD
<b>Self-closing action</b> (only for self-closing fire and/or smoke protection doors and/or windows)	NPD
Durability of ability to release	NPD
<b>Durability of self-closing</b> (only for self-closing fire and/or smoke protection doors and/or windows)	
<ul> <li>Compared with loss of quality (resistance to repeated opening and closing)</li> <li>Compared with ageing (corrosion)</li> </ul>	NPD NPD