

Certificate of Constancy of Performance



Certificate No.: 0757-CPR-695B-6021041-1-4

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

Basis:

EN 14449-2005-05/AC:2005-10

Laminated glass and laminated safety glass with requirements for fire resistance



**Product description/
specification**

FIRESWISS FOAM 30-15, 30-16 O, 30-19, 30-19/1, 30-19 P4A, 30-19 P5A, 30-20 O, 30-20 O P4A, 30-20 O P5A

See documentary evidence no. 16-004287-PR01

**Levels and classes of
performance**

E 30 / EW 30 / EI 30

Intended use(s)

Intended for use in buildings and other works with requirements for fire resistance in accordance with EN 13501-2 : 2007 + A1 : 2009

**placed on the market
under the name or trade
mark of**

**Glas Trösch AG
Zweigniederlassung FIRESWISS Buochs**

Stanserstr. 97, CH-6374 Buochs

**and produced in the
manufacturing plant(s)**

**Glas Trösch AG
Zweigniederlassung FIRESWISS Buochs**

Stanserstr. 97, CH-6374 Buochs

**Notified body No.
EC-Reference-No.**

0757


This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 14449 : 2005

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product**.

This certificate was first issued on 14.04.2017 and will remain valid until 13.04.2026, as long as neither the harmonized standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift** Rosenheim no. 695B 6021041.



www.ec.europa.eu

Identity check



www.ift-rosenheim.de/

ift-zertifiziert

ID: 955-D04C3

Christian Kehrer
Christian Kehrer
Head of notified product certification body
ift Rosenheim
14.04.2023

